

Fig. 2 T-Anchor





Fig. 2: T-Insert



Fig. 4: T-anchor




Fig. 3: T-insert





FIGURE 5A

FIG. 5B



TOLERANCES:	
LENGTHS: ± 0.2	
BETW CENTERS: ± 0.1	
ANGLES: $\pm 0^{\circ} 30'$	
DIAMETERS: $+0.1$	
FINISH:	
MATERIAL:	
SURFACE ROUGHNESS:	SCALE:
N7/ ▽	




FIGURE 5C

TOLERANCES:	
LENGTHS: ± 0.2	
BETW CENTERS: ± 0.1	
ANGLES: $\pm 0^{\circ} 30'$	
DIAMETERS: $+0.1$	
FINISH:	
MATERIAL:	
SURFACE ROUGHNESS:	SCALE:
N7/ ▽	1:1




FIGURE 6

TOLERANCES:	
LENGTHS: ± 0.2	
BETW CENTERS: ± 0.1	
ANGLES: $\pm 0^{\circ} 30'$	
DIAMETERS: $+0.1$	
FINISH:	
MATERIAL:	
SURFACE ROUGHNESS:	SCALE:
N7/ ▽	




FIGURE 7

TOLERANCES:	
LENGTHS: ± 0.2	
BETW CENTERS: ± 0.1	
ANGLES: $\pm 0^\circ, 30'$	
DIAMETERS: ± 0.1	
FINISH:	
MATERIAL:	
SURFACE ROUGHNESS:	SCALE:
N6/ ▽	10:1





FIGURE 8A



~~Fig. 3b~~: T-inserter

FIGURE 8B




FIGURE 9

TOLERANCES:		
LOCATIONS	±0.01	
NEW DIMENSIONS	±0.01	
ANGLES	±0.01	
QUANTITIES	±0.01	
FINISH		
MATERIAL		
SURFACE		
SOLD		

Fascial Anchor System for Bladder Neck Suspension




FIGURE 10

Fascial-Anchor System for Sacrospinous Fixation




FIGURE 11

Male Sling Procedure
- using Bone Anchors
- FIG. 12

